



Technical Specification and Quotation Form of Cultivator

Fiscal Year: 2081/82

	Particulars/Parameters			Offered Price (with	Offered Price (with/without VAT if applicable)		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words		
			Make:				
			Model:				
			Mfg.Year:				
			Country of Origin:				
1	Tractor Power Required	35 Hp and above					
2	Туре	Spring Coil Loaded					
3	Main Frame Construction Deatail	Mild Steel Flat/Channel/I-Section					
4	No. of Tynes	9					
5	No. of Shovel	9					
6	Type of Shovel	Reversible					
7	Type of Mounting	3 Point Linkage					
8	Overall Width	≥80 inches					
9	Working Width	≥72 inches					
10	Under Frame Clearance	Minimum 15 inches					
11	Colour	Standard Colour					
12	Delivery Place	The Cultivator shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)					
13	Initial Service	The supplier shall provide the first two service after the cultivator has been delivered					
14	Warranty Period	One Year or specify the item on which warranty period can be applied					

	Walland V. Frank and San F. Frank
आपुर्तिकर्ताको विवरण :	
सप्लायर्सको नामः	
प्रोपराईटरको नाम :	छाप:
मोब.नं.:	
दस्तखतः	नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने
	विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form of Leveller

Fiscal Year: 2081/82

				Offered Price (with/w	ithout VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Туре	Tractor Mounted-Two way Levelling			
2	Material	Heavy Duty Mild Steel			
3	Tractor Power Required	35 Hp and Above			
4	Hitching System	3 Point Linkage			
5	Cutting Width	Minimun 1600 mm or longer			
6	Blade Thickness	At least 5 mm			
7	Instruction	All signs and instruction on Leveller shall be in English/Nepali			
8	Colour	Standard Colour			
9	Delivery Place	The Leveller shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
10	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
11	Warranty Period	One Year or specify the item on which warranty period can be applied			
12	Operation and Maintenance manual and parts catalog	One Copy in English			

parts catalog	
आपुर्तिकर्ताको विवरण :	
सप्लायर्सको नामः	छाप:
प्रोपराईटरको नाम :	
मोब.नं.:	नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने
दस्तखतः	विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form of Disc Harrow

					thout VAT if applicable
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Frame Material	Heavy Duty Steel			
2	Type of Disc	Plain (smooth) or Notched (serrated)			
3	Disc Diameter	16"-28"			
4	Thickness of Disc	3-6 mm			
5	No.of Disc	minimum 12			
6	Distance between Disc to Disc	6"-9"			
7	Range of Working Width	≥1200 mm			
8	Working Depth	≥100mm			
9	Tractor Power Capacity	35 Hp and Above			
10	Colour	Standard Colour			
11	Delivery Place	The Disc harrow shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
12	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
13	Warranty Period	One Year or specify the item on which warranty period can be applied			
14	Operation and Maintenance manual and parts catalog	One Copy in English			

	manual and parts catalog	
1	आपुर्तिकर्ताको विवरण :	छाप:
10000	सप्लायर्सको नामः	
	प्रोपराईटरको नाम :	
	मोब.नं.:	नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने
	दस्तखतः	विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form of Paddy Thresher

Fiscal Year: 2081/82

			Offered Specification	Offered Price (with/wit	iout VAI ii applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		*
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Туре	Axial flow/Tangential flow			
2	Main Frame Material	MS Angel and U-channel			
3	Power Requirements	35 Hp and above			
4	Feeding System	Chute type/ Direct Feeding			
5	No.of Blower	Double/Tripple type			
6	Threshing Drum Size	Diameter ≥800 mm			
7		Spiked Tooth/ Rasp Bar			
200	Drum Type				
8	No.of Peg tooth/Spikes	At least 70			
94	RPM	≥540			
10	Fan Type	Grain Cleaning Aspiratory Fan and Straw Blower of Centrifugal type			
11	Sieve	Ocsillating perforated CR sheet (upper sieve and lower sieve)			
12	Grain Output	1000-1500 Kg/hr			
13	Transmission Wheel	Nylon (2 in number)	The state of the s		
14	Hitching System	Welded U-Channel type, Fabrication material-Mild Steel			
15	Ground Clearance	≥350 mm			
16	Colour	Standard Colour			
17	Delivery Place	The paddy thresher shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
18	Initial Service	The supplier shall provide the first two service after the good has been delivered			
19	Warranty Period	One Year or specify the item on which warranty period can be applied	d		
20	Operation and Maintenance manual and parts catalog	One Copy in English			

	~		-	
आप	तिक	ताका	विवरण	:

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य स्विधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form of Tractor Operated Vertical Conveyor Reaper Fiscal Year: 2081/82

C 3"	D	Described Secrification	Offered Specification		without VAT if applicable
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		*
			Country of Origin:		
1	Туре	Tractor Operated Vertical Conveyor Reaper			
2	Tractor Power Required	35 Hp and Above			
3	Power System	Connected to PTO Shaft with Hydraulic lifting			
4	Mounting Type	Front/Rear			
5	Working Width	5-6.8 feet			
6	Stubble Height	≥25 mm			
7	No.of Star Wheel and Material	7, Nylon fibre			
8	No.of Blades	≥27			
9 1	Type of Blade	Serrated Blade (V-Shape)			
10	Cutting Blade	3 mm			
11	No.of Fingers	At least 14			
12	Finger Type	Combine Harvester type with spot			
13	Type of Divider	Shoe Type			
14	No. of Conveyor Belts	3			
15	Instruction	All signs and instruction on Reaper shall be in English/Nepali			
16	Colour	Standard Colour			
17	Delivery Place	The Reaper shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
18	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
19	Warranty Period	One Year or specify the item on which warranty period can be applied			
20	Operation and Maintenance manual and parts catalog	One Copy in English			

GEO. DESER	~			-	37
आप	ातव	ता	ना	विवरण	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ

दस्तखतः





Technical Specification and Quotation Form of Self Propelled Reaper Fiscal Year: 2081/82

					/without VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		¥//-
			Mfg.Year:		
			Country of Origin:		
1	Туре	4 Stroke Water Cooled Diesel Engine			
2	Rated Power	≥5 Hp			
3	Minimum Cutting Height	≥ 50 mm			
4	Cutting Width	At least 1000 mm (adjustable)			
5	Placing Type	Side wise and Banded placed			
6	Fuel	Diesel			
8	Fuel Tank Capacity	At Least 4 litres.	* * * * * * * * * * * * * * * * * * * *		
9	Reaper Cultivation	4-5 Lines at a time			
10,	Operation and Control	2 Forward, 1 Reverse/ Dog Clutch			
11	Instruction	All signs and instruction on Reaper shall be in English/Nepali			
12	Colour	Standard Colour			
13	Delivery Place	The Self-propelled reaper shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
14	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
15	Warranty Period	One Year or specify the item on which warranty period can be applied			

Warranty Period	One Year or specify the ite which warranty period can applied	em on n be		
आपुर्तिकर्ताको विवरः	ज :			
सप्लायर्सको नामः				
प्रोपराईटरको नाम :		छाप:		
मोब.नं.:				

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of Tractor

Fiscal Year: 2081/82

			7.4	Offered Price (with/without VAT if applicable		
.No.	Particulars/Parameters	Particulars/Parameters Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
			Make:			
			Model:		4	
			Mfg.Year:			
			Country of Origin:			
1	Engine	Four Stroke, At least 3 Cylinder diesel engine, Water Cooled, Engine Displacement should be minimum 2900 CC. Max power output should be in the range (50±5) HP at Rated Rpm				
2	Gauges	To include meters and gauges as necessary for efficient operation and maintenance				
3	Clutch	Heavy duty single dry disc/Dual dry plate type/Double Clutch with independent pto			1	
4	Transmission	Manual shift at least 8 forward and 2 reverse				
5	Ground Clearance	Minimum 400mm (High will be Advantage)				
6	Minimum Lifting Capacity	1450kg				
7	Steering	Mechanical Steering/Power Steering				
8	Tires	Standard size				
9	Wheel Base	Minimum 1900 mm				
. 10	Brakes	Dry/Oil immersed brake				
11	Fuel Tank Capacity	At least 45 Litre				
12	Drive Type	2WD/4WD				
13	Electrical System	At least 12 V battery, 85 Ah				
14	Essential Accessories	Tail light, rear light reversing light and turn signals Standard Tool set with Jack and Handle				
15	Instruction	All signs instruction in the vehicle shall be in English	h			
16	Colour	Standard Colour				
17	Delivery Place	The Tractor shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
18	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
19	Warranty Period	One Year or specify the item on which warranty period can be applied				
20	Operation and Maintenance manual and parts catalog	One Copy in English				

100000	~		0	
आप	तिकर	नाका	विवरण	:

सप्लायसंको नामः

छाप:

प्रोपराईटरको नाम :

an acipo can ener

मोब.नं.: दस्तखतः नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्न विक्रेताले Make/Model/Mig.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification of Hydraulic Trailer

Fiscal Year: 2081/82

C 3.	Particulars/Parameters	D. J. J. C.	08 16 16	Offered Price (with/without VAT if applicable	
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Material	High Quality Mild Steel			
2	Capacity	15 to 30 Tonnes			
3	Loading Capacity	15 to 30 Tonnes			
4	Shape	Rectangular			
	Dimension of Trailer				
5		10-11 feet			
	Breadth				
		≥2 feet			180/200
6	Power	Any Tractor with Hydraulic System			
7	Maximum Pay Load	15 to 30 Tonnes			
8	Tipping	Automatic (Switch off the Hydraulic System from Tractor)			
, 9	Feature	Corrosion Resistant			
10	Gas Path Connection	Pipe Fast Joint			
11	Tyre	1000.20 16 ply tyre			
12	Warranty for Tyre	One year warranty in case of air problem			
13	Hydraulic Boom Capacity	15 to 30 Tonnes			
14	Warranty for Hydraulic Boom	One year in case of any leakage			
15	Rear Axle Size	19 X 19 Both side Bearing			
		Surface treatment: large shot blasting machine to eliminate welding stress, d erusting			
16	Others	Descaling, antirust paint, finish painting, backing finish handling			
		Welding process: arc tooling welding			
		The oil circuit connection form: quick change joint			
17	Colour	Standard Colour			
18	Delivery Place	The Hydraulic Trailer shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
19	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
20	Warranty Period	One Year or specify the item on which warranty period can be applied	Maria de la composición della		

आपुर्तिकर्ताको विवरण :

सप्लायर्सको नाम:

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ

दस्तखतः





Technical Specification and Quotation Form of Power Tiller

Fiscal Year: 2081/82

100				Offered Price (with/without VAT if applicable)		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
			Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Туре	Walking/Seating behind Type				
2	Rated Power	≥18 Hp				
3	Engine	4 Stroke Single Cylinder Diesel Engine				
4	Cooling System	Water Cooled				
5	Type of Transmission	Chain Type/Belt Type				
6	Turning Speed of Crankshaft	Minimum 2000 RPM				
7	Clutch Type	Two Disc, Constant-contact, Friction				
8	Number of Gears	At least 6 Forward and 2 Reverse				
9	Tyre Size	Standard				
10	No. of Blades	At least 20 no.				
11	Speed	High abd Low				
12	Minimum Ground Clearance	≥150mm				
13	Turning Radius without Rotavato	Not more than 0,9 m				
14	Fuel Tank Capacity	At least 4 litres				
15	Tillage Width	At least 0.6 m				
16	Start Type	Hand Cranking/ Electric Start				
17	Manuals	1 copy of Operators and Owner manual instruction in English				
18	Tools	A set of tool required for general maintenance				
19	Instruction	All signs instruction on the power tiller shall be in English/Nepali				
20	Colour	Standard Colour				
21	Delivery Place	The Power Tiller shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
22	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
23	Warranty Period	One Year or specify the item on which warranty period can be applied				
24	Operation and Maintenance manual and parts catalog	One Copy in English				
26		The Power Tiller shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				

आपुर्तिकर्ताको विवरण :

सप्लायसंको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ते थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेत्ताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ



Technical Specification and Onnia

24310275004	Caronia No.		कार्य प्रेरी	Offered Price (with/without VAT if applicable)		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
		-	Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Engine Type	4 Stroke Single Cylinder Diesel Engine				
2	Rated Power	≥4 Kw				
3	Cooling System	Forced Air-Cooled				
4	Number of Gears	At least 2 Forward and 1 Reverse				
5	Start Method	Electric Start/Recoil				
6	Rated RPM	≥3000				
7	Fuel Tank Capacity	Minimum 2.5 litres				
8	Power Transmission	Gear Drive				
9	Tilling Width	≥ 800mm				
10	Tilling Depth	≥ 70mm				
11	Minimum no.of Blades			THE RESTRICT		
			Make:			
			Model:			
	M.		Mfg.Year:			
			Country of Origin:			
1	Engine Type	4 Stroke Single Cylinder Diesel Engine	11			
2	Rated Power	≥6 Kw				
3	Cooling System	Forced Air-Cooled				
4	Number of Gears	At least 2 Forward and 1 Reverse				
5	Start Method	Electric Start/Recoil				
6	Rated RPM	≥3000				
7	Fuel Tank Capacity	Minimum 3.5 litres				
8	Power Transmission	Gear Drive				
9	Tilling Width	≥ 800mm				
10	Tilling Depth	≥ 70mm				
11	Minimum no.of Blades					
12	Manuals	1 copy of Operators and Owner manual instruction in English				
13	Tools	A set of tool required for general maintenance				
14	Instruction	All signs instruction on the Mini tiller shall be in English/Nepali				
15	Colour	Standard Colour				
16	Delivery Place	The Mini Tiller shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
17	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
18	Warranty Period	One Year or specify the item on which warranty period can be applied				
19	Operation and Maintenance manual and parts catalog	One Copy in English				

आपुर्तिकर्ताको विवरण :

सप्लायर्सको नाम:

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ

दस्तखतः





Technical Specification and Quotation Form of Power Weeder

Fiscal Year: 2081/82

				Offered Price (with/wi	thout VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
17			Mfg.Year:		
			Country of Origin:		
1	Engine Type	4 Stroke Single Cylinder Petrol Engine			
2	Rated Power	≥4 Kw			
3	Cooling System	Forced Air-Cooled			
4	Number of Gears	At least 2 Forward and 1 Reverse			
5	Start Method	Electric Start/Recoil			
6	Rated RPM	≥3000			- 1 - 6 -
7	Fuel Tank Capacity	Minimum 2.5 litres			
8	Power Transmission	Gear Drive			
9	Tilling Width	≥ 800mm			
10	Tilling Depth	≥ 70mm			
11	Minimum no.of Blades	24			
12	Delivery Place	The Power Weeder shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
13	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
14	Warranty Period	One Year or specify the item on which warranty period can be applie	d		
15	Operation and Maintenance manual and parts catalog	One Copy in English			

आपु	र्तिक	र्ताको	विवरण	:
ગાયુ	।ताना	तापग	Iddia	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of Brush Cutter

Fiscal Year: 2081/82

			7.1	Offered Price (with/wit	thout VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		*
1	Rated Power Kw/Hp	0.9 Kw or more			
2	Engine	Four Stroke-Air Cooled			
3	Fuel	Petrol			
4	Fuel Tank Capacity	≥500 ml			
5	Cutting Width	At Least 380 mm			
6	Blade Length **	At Least 200 mm			
7	Starting System	Recoil type			
8	RPM	≥6500			
9	Instruction	All signs instruction on the brush cutter shall be in English/Nepali			
10	Colour	Standard Colour			
11	Delivery Place	The Brush Cutter shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
12	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
13	Warranty Period	One Year or specify the item on which warranty period can be applied			
14	Operation and Maintenance manual and parts catalog	One Copy in English			

आपु	र्तिक	र्ताव	ने वि	वरण	:
~					

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of Chaff Cutter

Fiscal Year: 2081/82

	Particulars/Parameters	Dequired Chasification	Office d Secolation	Offered Price (with/without VAT if applicable)	
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Туре	Electric			
2	Length of Chaff Cut	1-3 cm			
3	No. of Blades	At least 2 no.			
4	Feeding Mouth	Minimum 7 inches			
5	Capacity of Machine	≥250 kg/hr			
6	Feeder Roller	2 No.			7
7	Cutting Blades	Special Alloy Steel			
8	Belt	V-Belt/Chain			
9	Material	Head and Frame made of Iron			4
10	Electric Motor	2 Hp or Above			
11	Phase	Single Phase			
12	Voltage	180-240V			
13	Motor RPM	≥1400 RPM			
14	Motor Protection	Standard			
15	Instruction	All singed and insruction shall be in English/Nepali			
16	Tools	A set of tools as requied for general maintenance shall be supplied with a locable tool box			
17	Colour	Standard Colour			
18	Delivery Place	The goods shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
19	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
20	Warranty Period	One Year or specify the item on which warranty period can be applied			
21	Operation and Maintenance manual and parts catalog	One Copy in English			

1000	~		_	
आप	ातक	ताका	विवरण	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of Pick-Up

Fiscal Year: 2081/82

	Particulars/Parameters	Required Specification	Offered Specification	Offered Price (with/without VAT if applicable		
S.No.	Particulars/Parameters			Total Price in Figure (Rs.)	Total Price in Words	
			Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Туре	2 WD, 4 Cylinder, Diesel Engine				
2	Maximum Torque	At Least 180Nm@1000-2000 rpm				
3	Clutch Type	Single Plate Dry Clutch/Friction Type				
4	Gear Box	5-Speed/Synchromesh 5F+1R				
5		Manual/Power Steering				
6	Suspension Front Suspension	Leaf Spring Suspension				
		Leaf Spring Suspension				
7	Brakes Front Brakes	Disc/Hydraulic,two point disc				
-		Drum Brakes				
8	Tyre Size	195/65R15 or 215/75R16				
9,	Wheel Size	≥15 Inch				
10	Dimensions					
	Length	≥5000mm				
	57/05/2/05/05/06	≥1700mm				
	Height	≥1800mm				
11	Ground Clearance	≥170mm		415		
12	Seating Capacity	Driver + 1				
13	Max Pay Load	≥1000 Kg				
14	Gross Vehicle Weight	At least 2800 Kg				
15	Fuel Tank Capacity	≥45 Litres		•		
14	Instruction	All sign and insruction shall be in English/Nepali				
15	Tools	A set of tools as requied for general maintenance shall be supplied with a locable tool box				
16	Colour	Standard Colour				
17	Delivery Place	The Pick-up shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
18	Initial Service	The supplier shall provide the first two service after the pick-up has been delivered				
19	Warranty Period	One Year or mention the items to which warranty period is applied				
20	Operation and Maintenance manual and parts catalog	One Copy in English			4	

12 12 12 12	~	4	
आप	ातकत	ाका	विवरण

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of Digital Weighing Machine

Fiscal Year: 2081/82

					hout VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Maximum Weighing Capacity	At least 100 kgs			
2	Accuracy	± 25 gms			
3	Platform Size Approx	At least 300mm X 300mm			
4	Load Cell	200kgs			1
		Easy to Handle and Carry			
	M.	Bright LED Display			
		Overload Protection			
5	Others	Battery Backup			
		Push Button Keys			
		Auto Zero Tracking			
		Stainless Steel Plate/ MS Plate			
6	Certification	Nepal Bureau of Standards and Metrology			
7	Instruction	All signs instruction shall be in English/Nepali			
8	Colour	Standard Colour			
9	Delivery Place	The Electronic Weighing Machine shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
10	Initial Service	The supplier shall provide the first two service after the goods, has been delivered			
11	Warranty Period	One Year or specify the item on which warranty period ca be applied	n		
12	Operation and Maintenance manual and parts catalog	One Copy in English			

~ .	0	
आपर्तिकर्ताको	विवरण	۰

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of Bag Sewing Machine

Fiscal Year: 2081/82

S.No.	Particulars/Parameters	Required Specification	Official Control		vithout VAT if applicable
3.110.	Farticulars/Farameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
174			Mfg.Year:		
			Country of Origin:		
1	Stitch Type	Single Needle, Single Thread, Chain Stitch			
2	Stitch Length	At least 3 Stitches/inch			
3	Stitch Speed	At least 1500 Stitches per minute			
4	Type of Bags	Burlap, Cotton, Jute, Multi-Wall Paper Bags			12
5	Material Thickness	up to 10 mm			
6	Needle	DBx1 200/25 or equivalent			
7	Lubricant w	2T Oil/SAE 10 or equivalent			
8	Power	220-250V, 1.3 Amps, 8000RPM AC Motor			
9	Weight	≥4.5 Kg			
10	Instruction	All singed and insruction on the machine shall be in English/Nepali			
11	Colour	Standard Colour			
12	Delivery Place	The Bag Sewing Machine shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
13	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
14	Warranty Period	One Year or specify the item on which warranty period can be applied			
15	Operation and Maintenance manual and parts catalog	One Copy in English			

आपुर्तिकर्ताको विवरण :	
सप्लायर्सको नाम:	
प्रोपराईटरको नाम :	
	छाप:
मोब.नं.:	नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुद्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश ग
दस्तखतः	विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नपर्ने छ





Technical Specification and Quotation Form of Milking Machine

Fiscal Year: 2081/82

				Offered Price (with/wi	thout VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Rated Power of Motor	≥1.1 Kw			
2	Pump	Vaccum			
3	Pulsator	1 (L-80)			
4	Tank Size/Weight	At least 25 litres/ 2.5 Kg			
5	Tank Material	Stainless Steel 304			
6	Vaccum Speed	At least 180 l/m			
7	Milk Claw	At least 250CC with plastic chasis			
8	Milk Tank	Minimum 2			
9	Instruction	All singed and insruction shall be in English/Nepali			
10	Colour	Standard Colour			
11	Delivery Place	The Milking Machine shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
12	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
13	Warranty Period	One Year or specify the item on which warranty period can be applied			
14	Operation and Maintenance manual and parts catalog	One Copy in English			

आनुस्तिमतामा विवरना			
सप्लायर्सको नामः			
प्रोपराईटरको नाम :		छाप:	
मोब.नं.:			
दस्तखतः	नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सव	ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्ले	ख गरी यसै प्रस्ताव साथ राखि पेश गर्ने
	विक्रेताले Make/Model/Mfg.Year/Country	of origin अनिवार्य रूपले उल्लेख गर्नुपर्ने ह	3





Technical Specification and Quotation Form of 1000 litres Capacity Chilling Vat with Milk Analyser

Fiscal Year: 2081/82

S.No.	Particulars/I	Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	ithout VAT if applicable) Total Price in Words
				Make:		
	-			Model:		
				Mfg.Year:		
				Country of Origin:		
A	Chilling Vat			The state of the s		
1	Tank Capacity		1000 Ltr			
2	Moc Inner shell		Minimun 2 mm			
3	Moc Outer Jacket		At least 1.5 mm			
4	Inner shell grade SS		304 AISI			
5	Outer shell grade SS		202/304 AISI	The state of the s		
6	Puf Insulation		70 mm			
7	Evaporator		Dimpled plate			
			Single			
9	Agitator (28-40 rpm) Power supply	THE RESERVE THE	3 Phase			
			Emerson make/Hermetic sealed			
10	Compresor		Direct Expansion Type			
11	Cooling System					
12	Refrigeration Unit		3 Tr R 404 A/R 407 C			and the same
13	Refrigerant		R 404 A/ R 40/ C			
14	Control Pannel Board		Includes: Contractors, Overload, relays- digital temperature controller 7510 T, Voltage protection relay and MCB			
15	Expansion Device		TX2	and the same of th		
16	LP/HP	M.	Yes			
17	Outlet Valve SS 304L I	REV	38 mm			
18		DE V	Rectangular/Circular/Elliptical			
	Shape Certification		ISO 9001			
194			A set of tool for its handling			
20	Tools Warranty		One Year or specify the item on which warranty			
			period can be applied			
В		built Printer And Data	Processing Unit			
1	Milk Analysing Time		Less than 30 seconds			
2	Controller data Proces	ssing Unit	At least 32 bit with inbuilt Printer, Remote Display Unit, Ultrasonic Digital Air Cleaner/Vibrator, milk weighing scale with 100 ls, Online DC UPS 12V in 111WH with some extra chemical each one with PC (Desktop and CPU of quality brand) and print paper@10 roll			
3		Measuring Ranges	Accurac	v		
	P-4		0,06%			
4	Fat	(0-35) %	0.159			
5	Solid -Non-Fat(SNF)	(3-4) %	0.3kg/n			
6	Density	(1000-1160) kg/m ³	0.5kg/ii 0.15%			
7	Protein	(2-15) %	0,157		The state of the s	
8	Lactose	(0.01-20) %				The second second
9	Salts	(0.4-15) %	0.059			
10	Added water	70 %	39			
11	Freezing point	(0.4-0.7) °C	0.005°			
12	Sample Temp.	(5-40) °C	1'			
13	Sample volume	20 ml	+-2se			A TOTAL CO.
14	Sanple speed	40 sec.	+-556	ec		
	Instruction		All sings and instruction on the CV with Milk Analyzer shall be English/Nepali			
	Colour		Standard Colour			
	Delivery Place		The goods shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
	Initial Service		The supplier shall provide the first two service after the goods has been delivered			
	Warranty Period		One Year or specify the item on which warranty period can be applied			
	Operation and Maint parts catalog	enance manual and	One Copy in English			

आपुर्तिकर्ताको विवरण :

सप्लायसंको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरू भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of Milk Analyser

Fiscal Year: 2081/82

		Descripted Specification	Offered Specification	Total Price in Figure	thout VAT if applicable
S.No.	Particulars/Parameters	Required Specification	Officies Specimentos	(Rs.)	Total Price in Words
	Milk Analyser with Inbuilt Printer A	nd Data Processing Unit			
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Controller data Processing Unit	At least 32 bit with inbuilt Printer, Remote Display Unit, Ultrasonic Digital Air Cleaner/Vibrator, milk weighing scale with 100 ls, Online DC UPS 12V in 111WH with some extra chemical each one with PC (Desktop and CPU of quality brand) and print paper@10 roll			
	Measuring Ranges	Accuracy	/		
2	Fat (0-35) %	0.06%			
3	Solid -Non-Fat(SNF) (3-4) %	0.15%	5	i de la constitución	
4	Density \(\frac{1000-1160}{}\) kg/m ³	0.3kg/m	3		
5	Protein (2-15) %	0.15%	6		
6	Lactose (0.01-20) %	0.02%	6		
7	Salts (0.4-15) %	0.05%	6		
8	Added water 70 %	39	6		
9	Freezing point (0.4-0.7) °C	0.005°	С		
10	Sample Temp. (5-40) °C	1°	С		
11	Sample volume 20 ml	+-2se	ec		
12	Sanple speed 40 sec.	+-5se	ec		
13	Instruction	All sings and instruction shall be English/Nepal	i .		
14	Colour	Standard Colour			
15	Cotour	The Milk Analyzer shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
16		The supplier shall provide the first two service after the goods has been delivered			
17		One Year or specify the item on which warranty period can be applied			
18	Operation and Maintenance manual and	One Copy in English			

आपु	तिकतीको	विवरण	:
-----	---------	-------	---

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form of Khowa Machine

Fiscal Year: 2081/82

- 1			The state of the s	Offered Price (with/without VAT if applicab		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
7.2		25	Make:			
			Model:			
			Mfg.Year:			
1			Country of Origin:			
1	Туре	Khowa Making Machine				
2	Vessel Material	Stainless Steel				
3	Volume of Vessel	120 ltr approximately				
4	Thickness of Bottom	At least 25 mm (mild steel or SS304)				
5	Numbers of burners	Two				
6	мсв	For controlling power fluctuation				
7	Switch	On/off switch on machine				
8	Number of Blades	Two				
4 9	Types of Fule to be used	LPG/Diesell/Kerosene				
10	Fule tank material and capacity	Mild steel, At least 15Ltr				
11	Electrical load	At least 1 Hp				
12	Capacity	Milk Conversion into khuwa per batch 10-15 litre in 40 min				
13	Instruction	All singed and insruction on Khowa making machine shall be in English/Nepali				
14	Tools	A set of tools as requied for general maintenance shall be supplied with a locable tool box				
15	Colour	Standard Colour				
16	Delivery Place	The goods shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
17	Initial Service	The supplier shall provide the first two service after the goods has been delivered	1			
18	Warranty Period	One Year or specify the item on which warranty period can be applied				
19	Operation and Maintenance manual and parts catalog	One Copy in English				

- C - Si	~	 विवरण	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

मोब.नं.:

विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ

दस्तखतः





Technical Specification and Quotation Form of Alumunium Milk Can Fiscal Year: 2081/82

				Offered Price (with	/without VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
7 3			Country of Origin:		
1	Capacity	20ltr			
2	Material	Alumunium			
3	Colour	Standard Colour			
4	Body Wall Thickness	5 mm			
5	Shape	Cylindrical	WEEK CONTRACTOR		
6	Delivery Place	The Milk Can shall be delivered to PMAMP, Bara (Bara and Parsa)			
	AL.		Make:		
	3		Model:		
			Mfg.Year:		
			Country of Origin:		
1	Capacity	40ltr			
2	Material	Alumunium			
3	Colour	Standard Colour			
4	Body Wall Thickness	5 mm			
5	Shape	Cylindrical			
6	Delivery Place	The Milk Can shall be delivered to PMAMP, Bara (Bara and Parsa)			

100000	~		^	alle.
आप	तिक	ताका	विवरण	Γ:

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of SS Milk Can Fiscal Year: 2081/82 Offered Price (with/without VAT if applicable) Offered Specification Total Price in Figure **Required Specification** S.No. Particulars/Parameters Total Price in Words (Rs.) Make: Model: Mfg.Year: Country of Origin: 20ltr 1 Capacity Stainless Steel 2 Material Standard Colour Colour 3 **Body Wall Thickness** 5 mm 4 Cylindrical 5 Shape The Milk Can shall be delivered to Delivery Place 6 PMAMP, Bara (Bara and Parsa) Make: Model: Mfg.Year: Country of Origin: Capacity 40ltr 1

5	Shape	Cylindrical
6	Delivery Place	The Milk Can shall be delivered to PMAMP, Bara (Bara and Parsa)
	आपुर्तिकर्ताको विवरण :	
	सप्लायर्सको नामः	
	प्रोपराईटरको नाम :	छाप:
	मोब.नं.:	
	दस्तखतः	नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने
		विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ

Stainless Steel

5 mm

Standard Colour

Material

Body Wall Thickness

Colour

2





Technical Specification and Quotation Form 1 Hp Dewatering Submersible Pump

Fiscal Vear: 2081/8

				Offered Price (with	h/without VAT if applicable
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:	w w	
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Power	0.75 Kw/ 1 Hp			
2	Voltage	220-240 V			
3	Phase	Single			
4	Frequency	50 Hz/60 Hz			
5	Motor Type	Water filled/Oil filed, Pure copper winding			
6	Speed	At Least 2500 rpm			
7	Number of Stage	Single stage or Multi stage			
8	Discharge Capacity	≥ 50 l/m			
9	Outlet Size	≥25 mm			
10	Head Range	10-21 m			
11	Suction Type	Bottom or Side Suction			
12	Thermal Overload Protection	Should be provided			
13	Colour	Standard Colour			
14	Delivery Place	The Submersible Pump shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
15	Initial Service	The supplier shall provide the first two service after the pump has been delivered			
16	Warranty Period	One Year or specify the item on which warranty period can be applied			

आप	तिकत	Tebi	विवरण	
	*** ***			

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form 2 Hp Dewatering Submersible Pump Fiscal Year: 2081/82

				Offered Price (with	h/without VAT if applicable
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Power	1.5 Kw/2 Hp			
2	Voltage	220-240 V			
3	Phase	Single			
4	Frequency	50 Hz/60 Hz			
₄ 5	Motor Type	Water filled/Oil filed, Pure copper winding			
6	Speed	At Least 2500 rpm			
7	Number of Stage	Single stage or Multi stage			
8	Discharge Capacity	≥ 60 l/m			
9	Outlet Size	≥50 mm			
10	Head Range	10-21 m			
11	Suction Type	Bottom or Side Suction			
12	Thermal Overload Protection	Should be provided			
13	Colour	Standard Colour			
14	Delivery Place	The Submersible Pump shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
15	Initial Service	The supplier shall provide the first two service after the pump has been delivered			
16	Warranty Period	One Year or specify the item on which warranty period can be applied			

-	~_	4	विवरण	
आप	Idead	I chi	ida vo	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने विक्रेताले Make/Model/Mfg.Year/Country of origin अनिवार्य रुपले उल्लेख गर्नुपर्ने छ





Technical Specification and Quotation Form of 4 Paddle Aerator

Fiscal Year: 2081/82

E-MA				Offered Price (with/	without VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Rated Power of Motor	≥1.5 Kw			
2	Motor wire box and Fan	Plastic or specify if other			
3	No.of Paddle	4			/
4	Shaft	201 Stainless Steel Solid Shaft			
5	Frame W	Single welded Stainless Steel or specify if other			
6	Phase	Single			
7 *	Frequency	50 Hz			
8	Voltage	180-240 V			
9	Aeration Capacity	2-2.5 Kg/hr			
10	Aerobic Capacity	1.9 kg/h			
11	Impeller Speed	At least 100 RPM			
12	Tools	A set of tool required for general maintenance shall be supplied			
13	Colour	Standard Colour			
14	Delivery Place	The 4 Paddle Aerator shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
15	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
16	Warranty Period	One Year or specify the item on which warranty period can be applied			
17	Operation and Maintenance manual and parts catalog	One Copy in English			

	~		^	200
आप	तिक	ताक	विवर	ण :

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of 6 Paddle Aerator

Fiscal Year: 2081/82

				Offered Price (with/witho	
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Rated Power of Motor	≥1.5 Kw			
2	Motor wire box and Fan o	Plastic or specify if other			
3	No.of Paddle	6			
4	Shaft	201 Stainless Steel Solid Shaft			
5	Frame	Single welded Stainless Steel or specify if other			
6	Phase	Single			
7	Frequency	50 Hz			
8	Voltage	180-240 V			
9	Aeration Capacity	2-2.5 Kg/hr			
10	Aerobic Capacity	1.9 kg/h			
11	Impeller Speed	At least 100 RPM			
12	Tools	A set of tool required for general maintenance shall be supplied			
13	Colour	Standard Colour			
14	Delivery Place	The 6 Paddle Aerator shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
15	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
16	Warranty Period	One Year or specify the item on which warranty period can be applied			
17	Operation and Maintenance manual and parts catalog	One Copy in English			

~ ()	
आपर्तिकर्ताको	Taarui .

		ELVIORED.
मप्ल	यसेको	नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of Pallet Machine

S.No.	Particulars/Parameters	Dogwined Specification	000 10 10	Offered Price (with/without VAT if applicable)		
0.110.	1 at ticulars/1 at ameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Word	
			Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Application	Animal/Fish Feed				
2	Voltage	180-240 V				
3	Productivity	50-100Kg/hr				
4	Rated Power	At least 1.5Kw, Single Phase				
5	Spindle Speed	At least 1400 RPM				
6	Pellet Size	At least 2mm-8mm				
7	Instruction	All Sing and Insruction shall be in English/Nepali				
8	Colour	Standard Colour				
9	Delivery Place	The goods shall be delivered to PMAMP, Bara (Bara and Parsa)				
10	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
11	Warranty Period	One Year or specify the item on which warranty period can be applied				
12	Operation and Maintenance manual and parts catalog	One Copy in English				

ALCO AND	~ .		
2010	THE HITE	विवरण	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of 300 litre Upright/Vertical Freeze

Fiscal Year: 2081/82

		The second secon		Offered Price (with/without VAT if applicable)		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
			Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Туре	Upright/Vertical Freeze				
2	Capacity	Gross capacity 300 Litre, Usable capacity 280- 295 litre				
3	Built In/Free Standing	Free Standing				
4	No.of Door	1 or 2				
5	Dimensions	Varies depending on the model				
6	Temperature Range	≥-18°C			/	
		Adjustableshelves or compartments				
		Fast freeze function				
7	Other Fetures	Temperature Control				
•	Other retures	Frost-freeze or manual defrost options				
	4	Door lock if provided for security				
		Interior Light or optional				
8	Instruction	All singed and insruction shall be in English/Nepali				
9	Tools	A set of tools as requied for general maintenance shall be supplied with a locable tool box				
10	Colour	Standard Colour				
11	Delivery Place	The goods shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
12	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
13	Warranty Period	One Year or specify the item on which warranty period can be applied				
14	Operation and Maintenance manual and parts catalog	One Copy in English				

222.00	~		^	
आप	तकत	का	विवरण	1:

सप्लायर्सको नाम:

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of 300 litre Deep Freeze

Fiscal Year: 2081/82

Techni				Offered Price (with	/without VAT if applicable)
.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Capacity	Gross capacity 300 Litre, Usable capacity 280- 295 litre			
2	Temperature	≥-18°C			
3	Voltage	220-240 Volts			
4	Frequency	50Hz			
5	Phase	Single			
6	Refrigerant	R290/R134a/R600a (or other environment friendly)			
7	PUF Thickness	At least 50mm			
8	No of Basket	At least 2			
9	Inside Boday Layer	Food-grade plastic/aluminum or pre-coated galvanized steel			
10	Colour	Standard Colour			
11	Delivery Place	The deep freeze shall be delivered to PMAMP PIU, Bara (Bara and Parsa)			
12	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
13	Warranty Period	One Year or specify the item on which warranty period can be applied			
14	Operation and Maintenance manual and parts catalog	One Copy in English			

	ो विवरण :

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of 500 litre Deep Freeze

Fiscal Year: 2081/82

				Offered Price (with/without VAT if applicable)		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
			Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Capacity	Gross-500 Litre and Net ~ 460-480 litre approximately				
2	Temperature	≥-18°C				
3	Voltage	220-240 Volts				
4	Frequency	50Hz				
5	Phase	Single				
6	Refrigerant	R290/R134a/R600a (or other environment friendly)				
7	PUF Thickness	At least 50mm				
8	No of Basket	At least 2				
9	Inside Boday Layer	Food-grade plastic/aluminum or pre-coated galvanized steel				
10	Dimension	Typically around 140-170 cm length 60-80 cm width and 85-90 cm height/depth				
11	Colour	Standard Colour				
12	Delivery Place	The freeze shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
13	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
14	Warranty Period	One Year or specify the item on which warranty period can be applied				
15	Operation and Maintenance manual and parts catalog	One Copy in English				

4000.000	~		-	
आप	तिकट	गका	विवरण	:

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of 15 Kva Generator

Fiscal	W/	2001	10'
riscai	rear:	4001	101

	Doubleule we/Dougrante			Offered Price (with/without VAT if applicab		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
			Make:			
			Model:			
			Mfg.Year:			
			Country of Origin:			
1	Engine	Not less than 15 Hp, 4-Stroke Diesel Type				
2	Engine Cooling Type	Air				
3	Cyclinder	2				
4	Starting	Electric				
5	Phase	3 Phase				
6	Power Rating Range (KVA)	15 KVA				
7	Fuel Tank Capacity Range	Minimum 40 litres				
8	Rated Speed	1400 rpm				
9	Battery Capacity	80 AH				
10	Style	Standby Generators			G PRIL	
11	Rated Kw	12				
12	Rated Voltage	At least 415V				
13	Rated Frequency	50 Hz				
14	Lube oil Change Period	Minimum 500 hours				
15	Noise Level	less than 75 db				
16	Panel	Standard				
17	Warranty	Minimum 2 years or 5000Hrs				
18	Instruction	All sings and instruction shall be English/Nepali				
19	Colour	Standard Colour				
20	Delivery Place	The Generator shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)				
21	Initial Service	The supplier shall provide the first two service after the goods has been delivered				
22	Operation and Maintenance manual and parts catalog	One Copy in English				

	~		. 1			
भाग	ात त	-	क्रा १	तत	JUI	٠

सप्लायर्सको नामः

प्रोपराईटरको नाम :

अप:





Technical Specification and Quotation Form of 20 Kva Generator

Fiscal Year: 2081/82

S.No.	Particulars/Parameters	Required Specification	Offered Specification	Offered Price (with/witho Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	Engine	Not less than 15 Hp, 4-Stroke Diesel Type			
2	Engine Cooling Type	Air			
3	Cyclinder	2			
4	Starting	Electric Self			
5	Phase	3 Phase			
6	Power Rating Range (KVA)	15 KVA			
7	Fuel Tank Capacity Range	Minimum 45 litres			
8	Rated Speed	1400 rpm			
4 9	Battery Capacity	80 AH			
10	Style	Standby Generators			
11	Rated Kw	12			
12	Rated Voltage	At least 415V			
13	Rated Frequency	50 Hz			
14	Lube oil Change Period	Minimum 500 hours			
15	Noise Level	less than 75 db			
16	Panel	Standard			
17	Warranty	Minimum 2 years or 5000Hrs			
18	Instruction	All sings and instruction shall t English/Nepali	e e		
19	Colour	Standard Colour			
20	Delivery Place	The goods shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
21	Warranty Period	One Year or specify the item o which warranty period can be applied			
22	Operation and Maintenance manual and parts catalog	One Copy in English			

		2170	-		
-	\sim	र्ताको	9-	7777	
-HIY	la en	ตเซาเ	199	401	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोटः सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of Digital Ph Meter

Fiscal Year: 2081/82

			100		hout VAT if applicable)
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words
			Make:		
			Model:		
			Mfg.Year:		
			Country of Origin:		
1	pH				
	Range	-2,000 - 19.999 pH			Control State of Stat
	Resolution	0.1/0.01/0.001/ pH			
	Accuracy	±0.0202 pH± 1 digit			
	Stability	±0.0202 pH± 1 digit/3 hours			
	Temperature Compensation				
		1 to 5 points, automatic			
2	MV				
-		±1999mv			
	Resolution				
		±0.03% fs ±1 digit			
3	Conductivity	20.00 70 15 21 digit			
3	Range	-0.00 - 19.99 µS/cm			
_					
	#2	-20.0 - 199.9 μS/cm			
		-200 - 1999 μS/cm			
		-2 - 19.99 mS/cm			
4		-20 - 1999,9 mS/cm			
		-200 - 1999 mS/cm			
		0.01/0.1/1μS,0.01/0.1/1mS			
		±0.5% fs ±1 digit			
	Temperature Compensation				
		1 to 4 points, automatic			
11.65	Electrode Constant	0.01/0.1/1.0/10.0 cm-1			
4	TDS				
		0.1 mg/1-100g/l (500g/lS9500)			
	Coeficiente	0.40-1.00			
5	Salinity				
	Range	0-100 ppt			
6	Resistivity				
		0-100 M *cm(20 M *cm S9500			
7	Temperature	4			
7		-10-100°C			
	Resolution				
		±0.4°C ±1 digit			
		At least 500 sets			
		USB-Software PC Link			
8	Delivery Place	The Digital Ph meter shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)			
9	Initial Service	The supplier shall provide the first two service after the goods has been delivered			
10	Warranty Period	One Year or Specify that can be provided			
11	Operation and Maintenance manual and parts catalog	One Copy in English			

Operation a	me manneem	١
manual and	parts catalo	
आपुर्तिकर्ताक	ो विवरण :	

सप्लायर्सको नामः प्रोपराईटरको नाम :

छाप:

मोब.नं.:

दस्तखतः

नोटः सामाग्रीसंग विकेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने





Technical Specification and Quotation Form of Fish Net

Fiscal Year: 2081/82

				Offered Price (with/s	Offered Price (with/without VAT if applicable)		
S.No.	Particulars/Parameters	Required Specification	Offered Specification	Total Price in Figure (Rs.)	Total Price in Words		
S. A.			Make:				
			Model:				
			Mfg.Year:				
			Country of Origin:				
1	Material	Nylon					
2	Colour	Blue or Other					
3	Mesh Type	Square					
4	Mesh Size	At least 1 mm					
5	Width	At least 1.2 m					
6	Length	At least 50 m					
7	Delivery Place	The goods shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)					

Technical Specification and Quotation Form of Cow/Rubber Mat

	Particulars/Parameters	Required Specification		Offered Price (with/without VAT if applicable)		
S.No.			Offered Specification	Total Price in Figure (Rs.)	Total Price in Words	
			Make	Size: 6.5'*4'	Size: 6.5'*4'	
			Model			
			Mfg.Year			
			Country of Origin			
1	Material	Rubber				
2	Usage/Application	For Cow/Buffalo				
3	Size (feet)	6.5'*4' / 7'*4'		Size: 7'*4'	Size: 7'*4'	
4	Thickness	≥12.5mm				
5	Weight	35-42 kg				
6	Pattern	Plain				
7	Colour	Standard				
8	Packaging Type	Roll				

**Price of both 6.5'*4' and 7'*4' should be included

~ ~			
आपानक	21/61	विवरण :	

सप्लायर्सको नामः

प्रोपराईटरको नाम :

छाप:

मोब.नं.:

नोट: सामाग्रीसंग विक्रेताले उपलब्ध गराऊँन सक्ने थप अन्य सुविधाहरु भए छुट्टै पानामा उल्लेख गरी यसै प्रस्ताव साथ राखि पेश गर्ने

दस्तखतः





Technical Specification and Quotation Form of Portable Power Sprayer Fiscal Year: 2081/82

		Required Specification		Offered Price (with	Offered Price (with/without VAT if applicable)		
.No.	Particulars/Parameters		Offered Specification	Total Price in Figure (Rs.)	Total Price in Words		
			Make:				
			Model:				
			Mfg.Year:				
			Country of Origin:				
1	Engine	4 Stroke Petrol Engine					
2	Rated Power	≥ 0.7 Kw					
3	Fuel Tank Capacity	At least 500 ml					
4	Engine Displacement	At least 30 cc					
5	Other Accessories	Delivery Hose Pipe with Gun			7		
6	Tools	A set of tool required for general maintenance shall be provided					
7	Colour	Standard					
8	Delivery Place	The Power Sprayer shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)					
9	Initial Service	The supplier shall provide the first two service after the machine has been delivered					
10	Warranty Period	One Year or specify the item on which warranty period can be applied					

आपुर्तिकर्ताको विवरण :					
सप्लायर्सको नामः					
प्रोपराईटरको नाम :		छाप:			
मोब.नं.:					
दस्तखतः	नोटः सामाग्रीसंग विव्रे	न्ताले उपलब्ध गराऊँन सक्ने थप अन्य	सुविधाहरु भए छुट्टै पानामा उ	ल्लेख गरी यसै प्रस्ताव साथ	राखि पेश गर्ने





Technical Specification and Quotation Form of Earth Auger Drilling Machine Fiscal Year: 2081/82

		Required Specification	Offered Specification	Offered Price (with	Offered Price (with/without VAT if applicable)		
.No.	Particulars/Parameters			Total Price in Figure (Rs.)	Total Price in Words		
			Make:				
			Model:				
			Mfg.Year:				
			Country of Origin:				
1	Engine	2 Stroke Petrol Engine					
2	Cooling System	Air Cooling					
3	Fuel Tank Capacity	At least 1 litre					
4	Engine Displacement	At least 45 cc					
5	Size Adjustable	4", 6", 8" or specify if other					
6	Colour	Standard					
7	Delivery Place	The Earth Auger shall be delivered to PMAMP, PIU, Bara (Bara and Parsa)					
8	Initial Service	The supplier shall provide the first two service after the machine has been delivered					
9	Warranty Period	One Year or specify the item on which warranty period can be applied					

Wallanty 1 criou	which warranty period can be applied				
आपुर्तिकर्ताको विवरण :					
सप्लायर्सको नामः					
प्रोपराईटरको नाम :		छाप:			
मोब.नं.:					
दस्तखतः	नोट: सामाग्रीसंग विक्रेताले उ	पलब्ध गराऊँन सक्ने थप अन्य सुर्गि	वेधाहरु भए छुट्टै पानामा उ	उल्लेख गरी यसै प्रस्ताव स	॥थ राखि पेश गर्ने