



Application Form

1. Firm Name :-
2. Head Office Address :-.....
Telephone:-..... Fax.....
Email.....
3. Responsible Person.....
Position.....
Telephone..... Mobile..... Fax:-.....
Email:-.....
4. Firm Registration No..... Registered Office.....
Date.....
5. PAN/VAT Registration No..... Date.....
6. Business Type/ Purpose :.....
7. Financial Situation of Last three Years. (Attach Audited report of three years)

Information from Balance sheet

Fiscal Year	1	2	3
Total Assets			
Total Liabilities			
Net Worth			
Current Assets			
Current Liabilities			

Information from Income Statement

Fiscal Year	1	2	3
Total Revenues			
Profit Before Tax			
Profit After Tax			



Financial Resources (Add if required)

No.	Source of Financing	Amount
1		
2		

Note – The letter from the bank must be unconditional

8. Human Resource Capability

S.N.	Name	Position	Qualification (Must submit certificate copy)*	Experience (Year)
		Manager		
		Account/Sales/Marketing		
		Engineer/Sub Engg/Mechanics		

*Attach C.V. & certificate otherwise will not be considered for evaluation.

9. Rate and details of the Equipment's that the firm can supply as of annex-1 (Attach the relevant catalogs, specifications etc.)

Brief Specification of Equipments

S.N.	Name of the equipment	Estimated per unit cost	Brand	Model	Power HP	Per unit cost (Including VAT & Tax)		Free Spare Parts including Tool Box	No. of Free servicing after sales
						Rate in figures	Rate in words		
1	Tractor Operated Paddy Thresher	410000.00							
2	Tractor Operated Vertical Conveyor Reappear	135000.00							



3	Khuwa Making Machine								
4	15 KVA Diesel Generator set								
5	15 KVA Diesel Generator set								
6	4 Paddle Aerator								
7	6 Paddle Aerator								
8	Double Door Deep Freeze								

Note:- if the proposed amount of the Agri-equipments is greater than estimated per unit cost then the firm/company who has been proposed that amount will be eliminated.

10. Availability of Equipments that the firm can supply (For this FY)

S.N.	Name of the equipments	Brand	Model	Available in stock (NOs)	Quantity that can be supplied in this FY (NOs)	Rate in figures	Total Amount (NRs)*
1	Tractor Operated Paddy Thresher						
2	Tractor Operated Vertical Conveyor Reappear						
3	Khuwa Making Machine						
4	15 KVA Diesel Generator set						
5	15 KVA Diesel Generator set						
6	4 Paddle Aerator						
7	6 Paddle Aerator						
8	Double Door Deep Freeze						



Submit copy of dealership agreement with firm registration, PAN or VAT registration otherwise will not be considered for evaluation.

14. Professional Experiences

15. Specific Experience (Please submit supporting documents)

I hereby declare that the above submitted information are true and correct based on relevant documents and our knowledge and we are not ineligible to participate in the expression of interest, has no conflict of interest in the proposed procurement proceedings and has not been punished for the profession or business related offence.

Office stamp

(Signature of Authorized Person)

Name

Position



Office :- PMAMP, PIU, Bara

F.Y:-2079/080

Technical specification of Paddy Thresher

S.N.	Criteria	Required Technical Specification	Offered Specification
1	General	A threshing machine is a piece of equipments that threshes grain. that it removes seed from the stalks and husks	Make: model: MFG. Year Country of Origin
2	Tractor Power Required	35-50 Hp	
3	Size of Thresher(mm)	≥1500*870	
4	Function	Paddy Thresher	
5	Productivity(kg/hr)	1000-1500	
6	Fan Type	Grain Cleaning Aspiratory Fan and Straw Blower of Centifugal Type	
	a.Fan Size(mm)	>60*800	
	b.Fan Size	>60*800	
7	Material of flywheel	Cast Iron	
8	Driven Type	Tractor Driven	
9	Rpm Required	≥540	
10	Feeding Type	Direct Feeding/Manual	
11	Type Of feeding System	Feeding Hopper	
12	Height Of Feeding Hopper above Ground Level (mm)	>1800	
13	Size of Feeding Hopper at Top	>650mm*670mm	
14	Threshing Cylinder Size(mm)	>1500*860	
15	Threshing Cylinder Type	Peg Tooth and Rasp Bar	
16	No of Peg Tooth	At least 70	
17	No of bar	Minimum 6	
18	Width of Threshing Cylinder, mm	>1400	
19	Diameter of cylinder, mm	≥820	
20	Cylinder Shaft material and size ,mm	MS rod, At least 3250*60	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

21	Top Cover Type	Semi-Circular	
22	Top Cover Dimension, mm	>1800*900*480	
23	Cleaning Unit Details	Fabricated by Ms angle iron in rectangular box and mounted in two angle iron sheet front and rear	
24	No. of Sieves	Minimum 3	
25	Aspirator/blower type	Suction	
26	Aspirator/blower number	Minimum 4	
27	Tyre(inch)	≥5*16	
28	Ground Clearance(mm)	≥375	
29	Material	M.S	
30	Fan	Minimum Double Fan	
31	Instructions	All signs and instruction in an Thresher shall be in English/ Nepali	
32	Proven performance	The bidder shall provide the manufacturer's data of performance of the unit to include efficiency	
33	Warranty	Manufacturer shall provide minimum warranty valid for one year after the date of acceptance	
34	Tools	A set of tools as required for general maintenance shall be supplied with a locable tool box	
35	Color	Standard color	
36	Delivery Place	The goods should be delivered to PMAMP, Bara	

Technical Specification of Tractor Operated Vertical Conveyor Reaper



Office :- PMAMP, PIU, Bara

F.Y:-2079/080

S.N.	Criteria	Required Technical Specification	Offered Specification
1	General	It is an engine operated walk behind type harvester suitable for harvesting and windrowing cereal and oil seed crop	Make: _____ model: _____ MFG.Year _____ Country of Origin _____
2	Type	Tractor Operated Vertical conveyer Reaper	
3	Tractor Power Required	35-50 Hp	
4	Cutter Bar Width, mm	>2000	
5	Working Width, mm	≥1900	
6	No and size of bearing in gearbox	04, Ball bearing	
7	Type of Divider	Shoe Type	
8	Type of Knife Blade	Serrated	
9	Guard Spacing	>80mm	
10	Blade Number	≥27	
11	Material Blade	Serrated Blade (V-Shape)	
12	Size Of Blade, mm	≥75*80	
13	Arrangement of Blade on the axle	27 blade riveted on the rectangular bar in same row	
14	Width of beveled edge,mm	At least 9mm	
15	Length of beveled edge, mm	> 60	
16	Size of propeller shaft, mm	636 to 882 *32*32	
17	Mass of propeller shaft, kg	6.5	
18	Instructions	All signs and instruction in an Self propelled reaper shall be in English/ Nepali	
19	Proven performance	The bidder shall provide the manufacturer's data of performance of the unit to include efficiency	
20	Warranty	Manufacturer shall provide minimum warranty valid for one year after the date of acceptance	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

21	Tools	A set of tools as required for general maintenance shall be supplied with a locable tool box	
22	Color	Standard color	
23	Initial Service	The supplier shall provide the first two service after the goods has been accepted	
24	Delivery Place	The goods should be delivered to PMAMP, bara	

Technical Specification of 15 KVA Diesel Generator Set

S.N	Criteria	Required Technical Specification	Offered Specification
1	General	The DG set is equipped with compact acoustic enclosure (CANOPY) type fuel efficient diesel engine with low vibration, having in-built AVR facility, Standard panel and controller with LCD screen.	
2	Engine	Not less than 15 HP,4-Stroke diesel type	
3	Engine Cooling Type	Air	
4	Cyclinder	2	
5	Starting	Electris Self	
6	Phase	3 Phase	
7	Power Rating Range (KVA)	15 KVA	
8	Fuel Tank Capacity Range	Min 50 ltrs	
9	Rated Speed	1500 rpm	
10	Battery Capacity	80 AH	
11	Style	Standby Generators	
12	Rated KW	12	
13	Rated Voltage	At least 415V	
14	Rated Frequency	50 HZ	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

16	Lube oil Change Period	Minimum 500hrs	
17	Noise Level	less than 75 db	
18	Panel	Standard	
19	Warranty	Min 2yrs or 5000Hrs	
20	Instruction	All sings and instruction in an DG shall be English/Nepali	
21	Proven Performance	The bidder shall provide the manufactures data of performance of the unit to include efficiency	
22	Tools	A set of tools as required for general maintenance shall be supplied with a local tool box	
23	Colour	Standard Colour	
24	Delivery	The goods should be delivered to PMAMP,Bara	

Technical Specification of 20 KVA Diesel Generator Set

S.N	Criteria	Required Technical Specification	Offered Specification
1	General	The DG set is equipped with compact acoustic enclosure (CANOPY) type fuel efficient diesel engine with low vibration, having in-built AVR facility, Standard panel and controller with LCD screen.	
3	Cylinder	At least 2	
4	Starting	Electris Self	
5	Phase	3 Phase	
6	Power Tange (KVA)	20 KVA	
7	Fuel Tank Capacity Range	Min 50 ltrs	
8	Rated Speed	1500 rpm	
9	Battery Capacity	12volt >80 AH	
10	Style	Standby Generators	
11	Rated KW	16	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

12	Rated Voltage	Minimum 415V	
13	Rated Frequency	50 HZ	
14	Lube oil Sump Capacity	<=4.5 ltrs	
15	Lube oil Change Period	Minimum 500 hrs	
16	Noise Level	less than 75 db	
17	Panel	Standard	
18	Warranty	Min 2 yrs or 5000Hrs	
19	Instruction	All sings and instruction in an DG shall be English/Nepali	
20	Proven Performance	The bidder shall provide the manufactures data of performance of the unit to include efficiency	
21	Tools	A set of tools as required for general maintenance shall be supplied with a local tool box	
22	Colour	Standard Colour	
23	Delivery	The goods should be delivered to PMAMP,Bara	

Technical Specification of Khuwa Making Machine

S.N.	Criteria	Required Technical Specification	Offered Specification
1	Model	Khuwa Making Machine	Make: Model: MFG.Year: Country of Origin:
2	Vessel's Material	Stainless Steel	
3	Volume of Vessel's	120 ltr approx	
4	Thickness of Bottom	At least 30mm (mild steel or SS304)	
5	Numbers of blowers and burners:	Two + Two	
6	MCB	For controlling power fluctuation	
7	Switch	On/off switch on machine	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

8	Number of Blades	Two	
9	Types of Fule to be used	LPG/Disel/Kerosen	
10	Fule tank material and capacity	Mild steel, At least 20 Ltr	
11	Electrical load	At least 1 hp	
12	Capacity	Milk Conversion into khuwa per batch 10-15 litre in 40 min	
13	Instruction	All singed and insruction in an Pelletmachine shall be in English/Nepali	
14	Proven performance	The bidder shall provided the manufacturer's data of performance of the unit to include efficiency	
15	Warranty	Manufacturer shall provided minimum warranty valid for one year after the date of acceptance	
16	Tools	A set of tools as required for general maintenance shall be supplied with a locable tool box	
17	Colour	Standard	
18	Delivery	The goods should be delivered to PMAMP,Bara	

Technical Specification of 6 paddle Aerator

S.N	Particulars	Required Specification	Offered Specification
1	General	This is an aquaculture equipment which is used to add oxygen to the water.	Make: _____ model: MFG.Year Country of Origin
2	Rated Power	≥2kw	
3	No of Paddle	6	
4	Paddle length	At least 100cm	
5	Paddle Width	Minimum 22cm	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

6	Paddle Speed	At least 125 Rpm	
7	Tilting Angle	105°	
8	Motor power	≥2 k.w	
9	Motor Phase	Single	
10	Motor Frequency	50Hz	
11	Motor Speed	At least 1400 rpm	
12	Motor Voltage	180-240v	
13	Oxygen transfer rate	(2-2.5) kg/hr	
14	Manuals	1 copy of operators and owners instruction in English/Nepali shall be supplied with each Pumpset	
15	Tools	A set of tools as required for general maintenance shall be supplied	
16	Warranty	Supplier shall provide at least 1 year of warranty after acceptance	
17	Colour	Standard Colour	
18	Initial Service	The supplier shall provide all the necessary parts required for the first two service after the goods has been accepted	
19	Delivey Place	The areator should be delivered to PMAMP bara	

Technical Specification of 4 paddle Aerator

S.N	Particulars	Required Specification	Offered Specification
1	General	This is an aquaculture equipment which is used to add oxygen to the water.	Make: _____ model: _____ MFG.Year _____ Country of Origin _____
2	Rated Power	≥1.5kw	
3	No of Paddle	4	
4	Paddle length	At least 100cm	



Office :- PMAMP, PIU, Bara

F.Y:-2079/080

5	Paddle Width	Minimum 22cm	
6	Paddle Speed	At least 125 Rpm	
7	Tilting Angle	105°	
8	Motor power	≥2 k.w	
9	Motor Phase	Single	
10	Motor Frequency	50Hz	
11	Motor Speed	At least 1400 rpm	
12	Motor Voltage	180-240v	
13	Oxygen transfer rate	(2-2.5) kg/hr	
14	Manuals	1 copy of operators and owners instruction in English/Nepali shall be supplied with each Pumpset	
15	Tools	A set of tools as required for general maintenance shall be supplied	
16	Warranty	Supplier shall provide at least 1 year of warranty after acceptance	
17	Colour	Standard Colour	
18	Initial Service	The supplier shall provide all the necessary parts required for the first two service after the goods has been accepted	
19	Delivey Place	The areator should be delivered to PMAMP bara	

Technical Specification of Double door Freeze

S.N	Particulars	Required Specification	Offered Specification
1	General	A deep Freezer keeps larger amount of food frozen for longer periods of time and offers more space and capacity	Make: _____ model: _____ MFG.Year _____ Country of Origin _____
2	Capacity	500L	
3	Temperature	> -180°C	
4	Voitage	200-240V	



Office :- PMAMP,PIU,Bara

F.Y:-2079/080

5	Frequency	50HZ	
6	Phase	Single	
7	Refrigerant	R290	
8	PUF thickness	At least 50mm	
9	No.of Basket	At least 2	
10	Inside Boday Layer	Aluminium	
11	Dimension	Min 700*600*800mm	
12	Warranty	Supplier shall provide at least 1 year of warranty after acceptance	
13	Colour	Standard Colour	
14	Proven performance	The bidder shall provide the manufacturer's data of performance of the unit to include efficiency	
15	Initial Service	The supplier shall provide all the necessary parts required for the first two service after the goods has been accepted	
16	Delivey Place	The areator should be delivered to PMAMP bara	

Delivery Place	All Equipment should be delivered to: Prime minister Agriculture Modernization Project Project Implementation Unit,Bara,Nepal
----------------	--

Signature of Supplier.....

Date.....

Office Stamp